

**CITY OF DELAWARE
PUBLIC WORKS/PUBLIC UTILITIES
COMMITTEE
AGENDA
CITY COUNCIL CHAMBERS
1 S. SANDUSKY ST.
7:00 P.M.**

REGULAR

March 3, 2015

1. ROLL CALL
2. APPROVAL of the Motion Summary for the meeting of the Public Works/Public Utilities Committee meeting held January 6, 2015, as recorded and transcribed
3. PUBLIC COMMENTS
4. SUMMARY and DISCUSSION of SafeWalk Program
5. PRESENTATION of SafeWalk Appeals
6. UPDATE on AMR/AMI System
7. PRESENTATION on W Central Ave/CSX Bridge
8. UPDATE on Winter Snow and Ice Removal Activity
9. STAFF COMMENTS
10. MEMBER COMMENTS
11. ADJOURNMENT

ITEM 2

**CITY OF DELAWARE
PUBLIC WORKS/PUBLIC UTILITIES
COMMITTEE
MOTION SUMMARY**

REGULAR

JANUARY 6, 2015

Staff in attendance included City Manager Tom Homan, Public Service Director Dan Whited, Public Works Director Bill Ferrigno, Director of Public Utilities Brad Stanton, Utility Maintenance and Project Manager Perry Mickley, Finance Director Dean Stelzer, Project Manager Jeff Coleman, Engineering Technician Marion Stephen, Utility Office Supervisor Kim Johnson and Customer Service Liaison Linda Mathews.

City Council (non-committee members) members in attendance included Lisa Keller.

Meeting called to order at 7:00 p.m. by Chairman Chris Jones.

1. ROLL CALL

Committee members present at roll call included Chairman Chris Jones, Vice-Chairman Kent Shafer and Mayor Carolyn Riggle.

2. APPROVAL of the Motion Summary for the meeting of the Public Works/Public Utilities Committee meeting held November 4, 2014, as recorded and transcribed

Vice-Chairman Shafer moved to approve the motion summary for the meeting held on November 4, 2014, as recorded and transcribed.

Mayor Riggle seconded the motion and it was approved by a 3-0 vote.

3. PUBLIC COMMENTS

There were no public comments presented.

4. ELECTION of Chairperson

Mayor Riggle moved that Mr. Jones continue to serve as chairman.

Mr. Shafer seconded the motion and Mr. Jones was elected to continue serving as Chairman.

5. ELECTION of Vice-Chairperson

Mayor Riggle moved that Mr. Shafer continue to serve as Vice-Chairman.

Chairman Jones seconded the motion and Mr. Shafer was elected to continue serving as Vice-Chairman.

6. PRESENTATION of SafeWalk Appeals

Engineering Technician Marion Stephen outlined the process for the three SafeWalk appeals that will be presented.

The first appeal is for 257 London Rd with property owner Jason Murfield (resides at 4091 Twp Rd 21, Marengo) being present. Mr. Murfield assumed ownership of the property in 2011 and a relative resides at this location presently. Mr. Murfield does not feel he was properly notified of the needed repairs prior to them being completed as well as the cost being too high.

Vice-Chairman Shafer moved to reduce the amount owed by Mr. Murfield to \$495.23 (50% of the invoiced amount). Mayor Riggle seconded the motion and it was approved by a 3-0 vote.

The second appeal is for 178 S. Sandusky St. No individual was present to represent the property, but Mr. Stephen provided background information and history on the property and repairs that were made.

Mayor Riggle, based on the information presented, moved to reduce the amount owed by Mrs. Mary Wilson (property owner) to \$348.75 (50% of the invoiced amount). Vice-Chairman Shafer seconded the motion and it was approved by a 3-0 vote.

The third appeal is for 253 S. Franklin St with property owner Larry Mitchell (his address is P O Box 426, Sunbury). Mr Mitchell is appealing on the lack of proper notification that repairs were needed for this property as he would have made the repairs himself as he did with other properties that he received notification on.

Vice Chairman Shafer moved to reduce the amount owed by Mr. Mitchell to \$260.40 (50% of the invoiced amount). Mayor Riggle seconded the amount and it was approved by a 3-0 vote.

Mr Sui Chen of 252 Indigo Blue St also approached the committee with regard the lack of notification on the exact timing of the contracted repair prohibiting him from coordinating a down spout issue repair at the same time, which will result in the need to have the same sidewalk section replaced a second time when the down spout line is repaired.

Chairman Jones thanked Mr. Chen for appearing, but he agreed that the City's contractor would make the repair, there was nothing that the committee would be able to assist him with; it was unfortunate that he did not have an exact timing notification for the repair coordination.

7. DISCUSSION/PRESENTATION of AMR/AMI Systems

Chairman Shafer invited Councilwoman Keller to join committee members at their council seats for the upcoming presentation and discussion.

Public Service Director Dan Whited introduced the topic and the individuals that will be presenting information on this topic. The individuals included, from the City of Marysville Ohio, City Administrator Terry emery, Public Service Director Michael Andrako and Water Superintendent Scott Shepard. CH2MHill was represented by Principal Project Manager Gary R. Long and Principal Strategy and Business Intelligence Jaason Englesmith.

City of Marysville Ohio representatives presented their experience with the implementation of an AMR system and all of the positives and negatives that they encountered. They addressed questions that committee members and staff had with various aspects of the overall system and specifically with the system they are utilizing. A hand out with AMI/AMR Talking Points was also distributed in conjunction with the presentation/discussion.

CH2MHill representatives distributed a hand out of the power point presentation that was shown. The use of the system overall and the differences with systems from various vendors was included in the power point presentation. The representatives also address all staff and committee questions relative to the systems.

Following the presentations and discussions, Vice-Chairman Shafer inquired on how the City and City Council should proceed now that they have some additional information and some concerns have been addressed.

8. DISCUSSION of Snow and Ice Removal Policies and Procedures

Public Works Director Bill Ferrigno highlighted the changes that had been incorporated into the 2014-2015 Snow and Ice Removal Policies and Procedures from the previously used policy.

9. UPDATE on Public Works Facilities Improvements

During the discussion for Item 8, the new salt/snow upgrades were mentioned- this included the salt storage barn and the brine producing equipment.

10. STAFF COMMENTS

Director of Public Utilities Brad Stanton provided an update on the Water Treatment improvements.

11. MEMBER COMMENTS

Vice-Chairman Shafer commented on the street clearing activities as the “best job around”.

Councilwoman Keller agreed with Vice-Chairman Shafer’s assessment on the street clearing activities.

Chairman Jones inquired on the possibility and cost of illuminating the water tower’s City of Delaware wording at the “point”.

12. ADJOURNMENT

Mayor Riggle moved to adjourn the meeting and it was adjourned at 9:17 p.m.







Chris Jones, Chairman

Linda Mathews, Clerk


Date

ITEM 4


Safe Walks Program Summary (2007 - 2015)



Safe Walks Program




Legend



The City of
Delaware, Ohio

ITEM 5



CITY OF DELAWARE, OHIO
PUBLIC WORKS DEPARTMENT

MEMORANDUM

SUBJECT: Safe Walks Appeal for 959 Wallace Dr.

DATE: 3/3/15

Property evaluated on 8/6/13 and found to have 1 panel at approximately 25 sq. ft. deficient sidewalk.

Certified mailing sent to and received by Luther R. White of 959 Wallace Dr.


Sidewalk maintenance agreement form returned on 12/19/13 with Luther R. White checking the "Property Owner Repair Option".

According to Delaware County Auditor's website, property sold on 9/2/14 to Timothy L. Pollock.

Contractor completed the work on the property 11/7/14.

Timothy L. Pollock was invoiced for 35 sq. ft., \$325.50.

Address on hold to appeals hearing.



City Of Delaware
Department of Engineering Services

SIDEWALK EVALUATION FORM

Street Address: 959 Wallace Dr. Date: 8/6/13
 Property Owner Name & Mailing Address: Inspector: MLS/DEW

Sections of Sidewalk to be Repaired at Property Owner Expense

Walk	No. of Sections:	<u>1</u>	Σ Length	<u>5</u>	Avg Width	<u>5</u>	= SF	<u>25</u>
Driveway	No. of Sections:		Σ Length		Avg Width		= SF	

Total Area (SF)

Deficiency	<input checked="" type="checkbox"/> Trip Hazard >1/2"	<input type="checkbox"/> Cracked or Loose Section	<input type="checkbox"/> Deteriorated Surface
	<input type="checkbox"/> Tree Root Damage (Private)	<input type="checkbox"/> Negative Cross Slope	<input type="checkbox"/> Missing Section(s)
	<input type="checkbox"/> Cross Slope >3/4"/FT	<input type="checkbox"/> Open Joint >5/8"	<input type="checkbox"/> Excessive Running Slope
	<input type="checkbox"/> Open Joint >5/8"		

Notes:

Sections of Sidewalk to be Repaired at City Expense

Street Tree Root Damage

Quantity	No. of Sections:	Σ Length	Avg Width	= SF
-----------------	------------------	-----------------	-----------	------

Notes:

City Utility Damage

Quantity	No. of Sections:	Σ Length	Avg Width	= SF
-----------------	------------------	-----------------	-----------	------

Notes:

SAFE WALKS PROGRAM

Sidewalk Maintenance Agreement

Please Check One Option:

- Property Owner Repair Option** - I agree to complete the required sidewalk repairs on my property as marked with WHITE dots, by July 1, 2014. I understand that if I fail to complete the required work that the City will complete the repairs and I will be invoiced for the actual cost of those repairs.
- City Contractor Repair Option** - I agree to the Identified sidewalk maintenance work as marked on my property by WHITE dots, and request that the City complete the repairs for me. I understand I will be invoiced for the actual cost of those repairs.
- Appeal Option** - I am appealing the requirement to complete the identified sidewalk repairs on my property as marked by WHITE dots, and request I be contacted by a city representative for further discussion.

Property Address: 959 WALLACE DR

Signed: _____

Justin R. White

Date: _____

12/5/13

Print: _____

Telephone No: _____


(740) 972-9006

E-mail: _____

Return to:

City of Delaware, Department of Engineering Services
Attn: Safe Walks Program Manager
20 East William Street
Delaware, Ohio 43015

or by e-mail at: dwright@delawareohio.net




City of Delaware Division of Engineering
Services

Street Address 959 Wallace Dr
Property Owner Timothy Pollock
Owner Mailing Address 959 Wallace Dr

Sections of Sidewalk Repaired at Property Owner Expense

Walkway SF 35
Residential Driveway SF
Commercial Driveway SF
Actual Cost \$325.50





CITY OF DELAWARE, OHIO
PUBLIC WORKS DEPARTMENT

MEMORANDUM

SUBJECT: Safe Walks Appeal for 201 Hawthorn Blvd.

DATE: 3/3/15

Property evaluated on 8/15/13 and found to have 3 panels of deficient sidewalk, 1 associated to the home owner and 2 panels as City responsibility.

Certified mailing sent to and received by Donald Yates of 201 Hawthorn Blvd.

Sidewalk maintenance agreement form returned on 12/19/13 with Donald Yates checking the "City Contractor Repair Option" was selected.


According to Delaware County Auditor's website, property sold on 4/3/14 to Joseph A. Yednock.

Contractor completed the work on the property the week of 9/10/14.

Joseph Yednock was invoiced for 25 sq. ft., \$232.50.

Owner claims tree roots caused all 3 panels to be deficient on 1/14/15.

Address on hold until appeals ruling.



City Of Delaware
Department of Engineering Services

SIDEWALK EVALUATION FORM

Street Address: 201 Hawthorn Blvd. Date: 8/15/13
Property Owner Name & Mailing Address: Inspector: MLS/DEW

Sections of Sidewalk to be Repaired at Property Owner Expense

Walk	No. of Sections:	<u>12</u>	Σ Length	<u>5</u>	Avg Width	<u>5</u>	= SF	<u>30</u>
Driveway	No. of Sections:		Σ Length		Avg Width		= SF	<u>25</u>

Total Area (SF)

Deficiency	<input type="checkbox"/>	Trip Hazard >1/2"	<input type="checkbox"/>	Cracked or Loose Section	<input type="checkbox"/>	Deteriorated Surface
	<input type="checkbox"/>	Tree Root Damage (Private)	<input checked="" type="checkbox"/>	Missing Section(s)		
	<input type="checkbox"/>	Cross Slope >3/4"/FT	<input type="checkbox"/>	Negative Cross Slope	<input type="checkbox"/>	Excessive Running Slope
	<input type="checkbox"/>	Open Joint >5/8"				

Notes:

revisions due to 2nd round inspections

Sections of Sidewalk to be Repaired at City Expense

Street Tree Root Damage

Quantity	No. of Sections:	<u>2</u>	Σ Length	<u>5</u>	Avg Width	<u>5</u>	= SF	<u>50</u>
----------	------------------	----------	----------	----------	-----------	----------	------	-----------

Notes:

City Utility Damage

Quantity	No. of Sections:		Σ Length		Avg Width		= SF	
----------	------------------	--	----------	--	-----------	--	------	--

Notes:

SAFE WALKS PROGRAM

Sidewalk Maintenance Agreement

Please Check One Option:

- Property Owner Repair Option** - I agree to complete the required sidewalk repairs on my property as marked with WHITE dots, by July 1, 2014. I understand that if I fail to complete the required work that the City will complete the repairs and I will be invoiced for the actual cost of those repairs.
- City Contractor Repair Option** - I agree to the identified sidewalk maintenance work as marked on my property by WHITE dots, and request that the City complete the repairs for me. I understand I will be invoiced for the actual cost of those repairs.
- Appeal Option** - I am appealing the requirement to complete the identified sidewalk repairs on my property as marked by WHITE dots, and request I be contacted by a city representative for further discussion.

Property Address: 201 HAWTHORN BLVD

Signed: Donald Yates Date: 12-19-13

Print: Donald Yates


Telephone No: 740-963-0151

E-mail: donald-spam@live.com

Return to:

City of Delaware, Department of Engineering Services
Attn: Safe Walks Program Manager
20 East William Street
Delaware, Ohio 43015

or by e-mail at: dwright@delawareohio.net



City of Delaware Division of Engineering
Services

Street Address	201 HAWTHORN BLVD
Property Owner	DONALD & DEBORAH YATES
Owner Mailing Address	201 HAWTHORN BLVD


Sections of Sidewalk Repaired at Property Owner Expense


Walkway SF	25
Residential Driveway SF	0
Commercial Driveway SF	0
Actual Cost	\$232.50

Homeowner portion



City portion





CITY OF DELAWARE, OHIO
PUBLIC WORKS DEPARTMENT

MEMORANDUM

SUBJECT: Safe Walks Appeal for 121 & 125 W. Harrison St.

DATE: 3/3/15

Properties evaluated on 8/30/13 and found to have 6 sidewalk squares and 2 squares in the driveway at approximately 225 sq. ft. deficient sidewalk.

Certified mailing sent to Michael E. Harter at 121 and 125 W. Harrison St. went unclaimed by owner.


Public Notice was printed in the Delaware Gazette 12/20/13.

Contractor completed the work on the property 9/7/14.

The City found Mr. Harter's mailing address as 85 Limetree Dr., Delaware, OH.

Michael E. Harter was invoiced for 165 sq. ft. sidewalk and 75 driveway walk, for a total of \$2,434.50.

Addresses are on hold until appeals ruling.



City Of Delaware
Department of Engineering Services

SIDEWALK EVALUATION FORM

Street Address: 101 W. Harrison St.
Property Owner Name & Mailing Address:

Date: 8/30/13
Inspector: MLS/DEW

Sections of Sidewalk to be Repaired at Property Owner Expense

Walk	No. of Sections:	Σ Length	Avg Width	= SF
	<u>1</u>	<u>5</u>	<u>5</u>	<u>25</u>
Driveway	No. of Sections:	Σ Length	Avg Width	= SF
	<u>2</u>			<u>80</u>
Total Area (SF)				

Deficiency	<input checked="" type="checkbox"/> Trip Hazard >1/2"	<input checked="" type="checkbox"/> Cracked or Loose Section	<input type="checkbox"/> Deteriorated Surface
	<input type="checkbox"/> Tree Root Damage (Private)	<input type="checkbox"/> Negative Cross Slope	<input type="checkbox"/> Missing Section(s)
	<input type="checkbox"/> Cross Slope >3/4"/FT	<input type="checkbox"/> Open Joint >5/8"	<input type="checkbox"/> Excessive Running Slope

Notes:


Sections of Sidewalk to be Repaired at City Expense

Street Tree Root Damage				
Quantity	No. of Sections:	Σ Length	Avg Width	= SF

Notes:

City Utility Damage				
Quantity	No. of Sections:	Σ Length	Avg Width	= SF

Notes:



City Of Delaware
Department of Engineering Services

SIDEWALK EVALUATION FORM

Street Address: 125 W. Harrison Date: 8/30/13
 Property Owner Name & Mailing Address: Inspector: MLS/NEW

Sections of Sidewalk to be Repaired at Property Owner Expense

Walk	No. of Sections:	Σ Length	Avg Width	= SF
	<u>5</u>	<u>6</u>	<u>5</u>	<u>150</u>
Driveway	No. of Sections:	Σ Length	Avg Width	= SF
				<u>100</u>
Total Area (SF)				

- Deficiency**
- Trip Hazard >1/2" Cracked or Loose Section Deteriorated Surface
 - Tree Root Damage (Private) Missing Section(s)
 - Cross Slope >3/4"/FT Negative Cross Slope Excessive Running Slope
 - Open Joint >5/8"

Notes:
Revisions due to 2nd round inspections

Sections of Sidewalk to be Repaired at City Expense

Street Tree Root Damage

Quantity	No. of Sections:	Σ Length	Avg Width	= SF
----------	------------------	-----------------	-----------	------

Notes:

City Utility Damage

Quantity	No. of Sections:	Σ Length	Avg Width	= SF
----------	------------------	-----------------	-----------	------

Notes:

CERTIFIED MAIL™

aware, Ohio
Engineering Services
am St.
OH 43015



7013 1090 0002 2586 1380



U.S. POSTAGE >>> PITNEY BOWES



ZIP 43015 \$ 006.31⁰
02 1W
0001365711 NOV. 01. 2013

WTP

MICHAEL E HARTER
121 W HARRISON ST
DELAWARE OH 43015

UNCLAIMED

CERTIFIED MAIL™

Delaware, Ohio
Eng. Services
iam St.
, Ohio 43015



7007 0710 0003 1493 9340



U.S. POSTAGE >>> PITNEY BOWES



ZIP 43015 \$ 006.31⁰
02 1W
0001365711 NOV. 01. 2013

WTP

MICHAEL E HARTER
125 W HARRISON ST
DELAWARE OH 43015

UNCLAIMED

85 Lake

UTP

AFFP
repair of sidewalks

Affidavit of Publication

STATE OF OHIO }
COUNTY OF DELAWARE } SS

Public/Legal Notice

Diana Deweese, being duly sworn, says:

That she is Ad Clerk of the Delaware Gazette, a daily newspaper of general circulation, printed and published in Delaware, Delaware County, Ohio; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

December 20, 2013

On October 14, 2013 the City of Delaware, Ohio City Council passed a Resolution of Necessity for construction or repair of sidewalks (Res. 13-38) which required property owners to complete specified sidewalk repairs by July 1, 2014 as identified on inspection reports available for review at the City of Delaware, Department of Engineering Services, 20 East William Street, Delaware, Ohio. Certified notices regarding the requirements were mailed to all affected property owners. The addresses of identified properties determined unreachable by certified mail delivery include:

57 Annette St., 311 Basswood St., 1890 Berwick Ct., 1915 Berwick Ct., 123 E. Central Ave., 169 E. Central Ave., 227 E. Central Ave., 118 Crescent Valley Ct., 24 David St., 175 S. Franklin St., 260 S. Franklin St., 129 Glengary Dr., 65 W. Harrison St., 103 W. Harrison St., 121 W. Harrison St., 125 W. Harrison St., 72 High St., 60 Lake St., 85 Lake St., 247 S. Liberty St., 65 London Rd., 132 London Rd., 186 London Rd., 377 London Rd., 14 Noble St., 120 Persimmon Ct., 156 Persimmon Ct., 107 Ross St., 315 S. Sandusky St., 489 S. Sandusky St., 977 Sapphire Flame Dr., 860 Wallace Dr., 866 Wallace Dr., 247 E. Winter St.

Failure to complete required repairs in accordance with the terms of the approved resolution may result in the City of Delaware causing the repairs to be completed, and in accordance with ORC 729.04, assess the property owners for the actual cost of the repair work once completed.

December 20, 2013 11
40538850

That said newspaper was regularly issued and circulated on those dates.

SIGNED:

Diana Deweese

Ad Clerk

Subscribed to and sworn to me this 20th day of December 2013.

Kimberly K. Birchfield

Kimberly K. Birchfield, Notary Public, Delaware County, Ohio


My commission expires: October 30, 2017



KIMBERLY K. BIRCHFIELD
Notary Public, State of Ohio
My Commission Expires
10-30-2017

40017428 40538850

CITY OF DELAWARE
ONE S SANDUSKY ST
DELAWARE , OH 43015




City of Delaware Division of Engineering
Services

Street Address	121 W HARRISON ST
Property Owner	MICHAEL E HARTER
Owner Mailing Address	121 W HARRISON ST

Sections of Sidewalk Repaired at Property Owner Expense

Walkway SF	45
Residential Driveway SF	75
Commercial Driveway SF	0
Actual Cost	\$1,318.50



City of Delaware Division of Engineering
Services

Street Address	125 W HARRISON ST
Property Owner	MICHAEL E HARTER
Owner Mailing Address	125 W HARRISON ST

Sections of Sidewalk Repaired at Property Owner Expense

Walkway SF	120
Residential Driveway SF	0
Commercial Driveway SF	0
Actual Cost	\$1,116.00





ITEM 8



Department of Public Works
 2014-2015 Winter Salt & Additives Purchase
 Report Updated 2/23/15

Contract	Vendor	Material	Tons	Gallons	Cost/Ton	Cost/Gallon	Total Cost	PO No.	Amount
SWOP4G	Transfer from Cherry Street	Rock Salt	700.00	N/A	\$45.06		\$31,542.00	N/A	N/A
SWOP4G	North American Salt	Rock Salt	519.99	N/A	\$109.19		\$56,777.71	RG045196	\$60,000.00
SWOP4G	Franklin County Engineers	Rock Salt	357.24	N/A	\$109.19		\$39,007.04	RG045361	\$39,100.00
DCEO*	Cargill Corporation (DCEO)	Rock Salt	1,200.41	N/A	\$100.00		\$120,041.00	RG045428	\$120,000.00
N/A	Road Solutions	Ice-Bite	N/A	6,100	N/A	\$1.69	\$10,309.00	RG045500	\$23,000.00
N/A	K-Tech Specialty Coatings	Beet Heet	N/A	1,861	N/A	\$1.36	\$2,530.96	RG045663	\$14,000.00
N/A	K-Tech Specialty Coatings	Beet Heet	N/A	4,040	N/A	\$1.36	\$5,494.40	RG045664	
N/A	National Lime & Stone	#9 Aggregate	277.00		\$6.50		\$1,800.50	RG045686	\$3,500.00
DCEO*	Cargill Corporation (DCEO)	Rock Salt (2/10-2/13)	339.99		\$100.00		\$33,999.00	RG045973	\$50,000.00
N/A	Henderson Trucking	Rock Salt 2/19	93.08		\$80.00		\$7,446.40	RQ020000	\$7,446.40
ODOT	Ohio Dept. of Transportation	Rock Salt (Pending)	[425]		\$105.25			Cancelled	\$0.00
Note:			Anticipated cost to purchase 1200 tons of DCEO Salt * Account 200.2020.5335						
			3,488	12,001			\$308,948.00		\$317,046.40

Salt Used and Stockpile Balance

Event #1	11/13 - 11/17	Complete	151.2	Tons
Event #2	11/21 - 11/22	Complete	82.0	Tons
Event #3	11/25 - 11/26	Complete	18.0	Tons
Event #4	12/2	Complete	46.2	Tons
Event #5	12/4	Complete	2.0	Tons
Event #6	12/18	Complete	51.8	Tons
Event #7	12/30 - 1/3	Complete	58.6	Tons
Event #8	1/5 - 1/6	Complete	284.4	Tons
Event #9	1/8 - 1/9	Complete	265.2	Tons
Event #10	1/11 - 1/12	Complete	346.9	Tons
Event #11	1/15	Complete	1.0	Tons
Event #12	1/19	Complete	8.0	Tons
Event #13	1/20	Complete	48.0	Tons
Event #14	1/21-1/22	Complete	29.0	Tons
Event #15	1/23-1/27	Complete	366.0	Tons
Event #16	1/29	Complete	106.0	Tons
Event #17	1/29-1/30	Complete	117.0	Tons
Event #18	1/30-2/1	Complete	194.4	Tons
Event #19	2/3 - 2/4	Complete	172.0	Tons
Event #20	2/12	Complete	115.0	Tons
Event #21	2/13-2/14	Complete	74.7	Tons
Event #22	2/16	Complete	34.3	Tons
Event #23	2/17-2/18	Complete	83.0	Tons
Event #24	2/21-2/22	Complete	142.0	Tons
Event #25				
Event #26				
Concord Twsp.	2/18	Complete	9.6	Tons
Parks Dept.	Season	Pending	100.0	Tons
Salt utilized from Stockpile			2,906.3	Tons
Available Salt Stockpile			581.4	Tons

ITEM 9

Linda Mathews

From: Kim Johnson
Sent: Thursday, February 19, 2015 11:22 AM
To: Linda Mathews
Subject: 395 CHERRY LEAF RD

Wanted to share compliments from owners moving out of 395 Cherry Leaf Rd. Mr says has lived here for 10 years & has appreciated water & trash services (never had a problem with these services) & he wanted to share how good the services have been. Told him I would share that with the refuse dept also. Kim

This message may contain confidential and/or proprietary information and is intended for the person/entity to whom it was originally addressed. Any use by others is strictly prohibited.

Linda Mathews

From: Joe Bullis
Sent: Thursday, February 19, 2015 2:43 PM
To: Linda Mathews
Subject: FW: Medic 303 tire

From: Joe Bullis
Sent: Thursday, February 19, 2015 7:09 AM
To: sshaw@delawareohio.net; Bill Wohrle; Scott Patch; Blaine Rayburn
Subject: FW: Medic 303 tire

Good work guys.

I know you always get the negative side of things, so when positive aspects filter through the department I think you should be happy to know that other individuals in the City think you do a good job outside of Steve and myself.

Thanks for working together as a team and I have really noticed a more positive environment around the shop. Keep up the good work.

From: Doug Stewart
Sent: Wednesday, February 18, 2015 11:22 AM
To: Erik Zierden
Subject: RE: Medic 303 tire

Thanks for the feedback. They do a great job down there.
Doug

Douglas Stewart
Assistant Fire Chief
Delaware Fire Department
99 S. Liberty St
Delaware, Ohio 43015
740-203-1322 (O)
740-203-1399 (F)
740-225-9599 (C)



From: Erik Zierden
Sent: Tuesday, February 17, 2015 5:54 PM
To: Doug Stewart
Cc: John Hall; Jason Rodocker; Bill Bivens
Subject: Medic 303 tire

Chief Stewart,

We took M303 to Fleet Maintenance today regarding the tire with a slow leak. Bill found a small screw in the left rear inside tire. He removed the screw, repaired the tire, and got us back on the road. We were in and out in about 30 minutes. They were really good to us.

EZ

This message may contain confidential and/or proprietary information and is intended for the person/entity to whom it was originally addressed. Any use by others is strictly prohibited.

This message may contain confidential and/or proprietary information and is intended for the person/entity to whom it was originally addressed. Any use by others is strictly prohibited.

This message may contain confidential and/or proprietary information and is intended for the person/entity to whom it was originally addressed. Any use by others is strictly prohibited.

Linda Mathews

From: Bill Ferrigno
Sent: Friday, February 20, 2015 10:38 AM
To: Linda Mathews; Charles Dukes; Frederick Crist; Joe Bullis; Terry Davenport
Subject: FW: Letter to the Editor ("Thumbs up to Public Works!")

From: Tom Wolber [<mailto:tkwolber@owu.edu>]
Sent: Thursday, February 19, 2015 2:19 PM
To: newsroom
Cc: Bill Ferrigno; Tom Wolber
Subject: Letter to the Editor ("Thumbs up to Public Works!")

YOUR VIEW

Thumbs up to Public Works!
To the editor:

Delaware had a high of four degrees Fahrenheit on Thursday (2/19), and local schools were canceled. It would constitute animal abuse to leave your dog out in these arctic temperatures for any length of time. And yet, reliably and punctually as always the trash-removal and curbside-recycling men from Delaware's Public Works Department showed up. They also in charge of snow and ice removal if and when needed, another critical service that often must be done at night or on weekends. Performing that kind of work must be one of the toughest assignments around, eclipsed -- perhaps -- only by a military-deployment job. So, a big thank you is due to all the folks who work, even in the dead of winter, for Public Works. There is honor and dignity in your jobs, and your exemplary dedication and service is appreciated by the grateful community for which you work.

Tom Wolber,
Delaware

Thomas K. Wolber
272 Hearthstone Drive
Delaware, OH 43015

Phone: 740.363.9612 day, 363.9612 home
Email: tkwolber@owu.edu

This message may contain confidential and/or proprietary information and is intended for the person/entity to whom it was originally addressed. Any use by others is strictly prohibited.

Linda Mathews

From: tbrown21@roadrunner.com
Sent: Sunday, February 22, 2015 10:12 AM
To: pwcs
Subject: Snow removal

The snow removal Crews did a FANTASTIC JOB on the Snow Plowing and Salting this past week. THANK YOU for all you are doing !!! "You Are All Appreciated" I am a Police Officer and Stephanie is a Nurse so it is mandatory for us to report to work on a daily basis.

"Life Is Good"

Tim Brown and Stephanie Togrul
90 Winding Valley Drive
Delaware, Ohio 43015